

Photo: Erik Holt



FORMBOSS

METAL GARDEN SOLUTIONS

April 2026

PRODUCT GUIDE



www.formboss.com.au

CONTENTS

WHY CHOOSE FORMBOSS®	3
COLOURS & FINISHES	4
GARDEN EDGING & PROFILE HEIGHTS	6
STAKES & BRACKETS	8
CORNER PIECES	10
RINGS & TIERED PLANTERS	14
HANGING PLANTERS	17
FORMBOX KITS	18
SPECIAL PROJECTS & CUSTOM WORK	19



QUALITY



DURABLE



TRUSTED

WHY CHOOSE FORMBOSS®

FormBoss® is the original innovator of a complete metal garden edging system.

A recognised leader in quality and safety, FormBoss® creates clean, defined garden borders, stylish planter rings and boxes that enhance any outdoor space. Each length and planter features a rolled top lip with no sharp edges, providing a smooth finish that is safe for children and pets.

Trusted by professional landscapers and chosen by homeowners who want lasting results, FormBoss® is engineered for strength, durability and straightforward installation. From perfectly edged lawns to striking circular features and

raised garden beds, the result is a beautifully finished space that performs for years to come.



After supplying to the garden industry for many years, in 2025, FormBoss® was acquired by Total Tooling Co Pty Ltd, a family-owned and operated Australian company proudly manufacturing in Melbourne for over 40 years. Backed by Total Tooling's industry-leading fabrication expertise and our dedicated production team, we deliver high-quality bespoke solutions, including customised fabrication and powder-coating. Using premium Australian BlueScope® steel, we help to elevate every garden project.



Photo: Erik Holt

COLOURS & FINISHES

FormBoss® metal garden solutions are available in a range of premium finishes to suit every landscape style.



REDCOR®

Our most popular choice. Made in Australia from Australian steel by BlueScope, this weathering steel, similar to Corten, develops a rich, natural rust-like patina over time. Durable and corrosion-resistant, it is perfectly suited to Australian native landscapes and looks equally at home in both modern and traditional garden settings.

GALVABOND®

Manufactured using Australian steel by BlueScope, this zinc-coated steel offers a clean, contemporary galvanised finish. Designed for strength and long-lasting performance, Galvabond® provides excellent corrosion resistance and a versatile aesthetic suited to modern and traditional designs alike.

SUPERDYMA®

A premium Japanese steel, highly corrosion resistant, ideal for coastal and harsh environments. Its sleek, silvery-grey finish complements both modern and traditional garden styles.

POWDER COATED

Using Dulux PROTEXTURE® range, a highly durable powder available in a number of Colorbond® colours. It has a textured finish which is scuff resistant. A bold modern choice for any garden.





FORMBOSS

POWDER COATED RANGE

All your favourite metal garden solutions are now available in a premium powder coated finish.

A great alternative to REDCOR® weathering steel, powder coating provides a durable protective barrier that enhances the appearance of FormBoss® garden edging, rings and planters.




GARDEN EDGING

FormBoss® garden edging is designed to provide a clean, durable finish for a wide range of landscaping applications. Supplied in 2440mm lengths, each piece features a rolled safety lip and comes complete with connectors, screws, and rivets (where applicable) for straightforward assembly. Pre-drilled holes ensure fast, accurate installation. The edging is available in eight

standard profile heights to suit different project needs, with custom heights also available on request. A range of finishes allows for flexibility in matching various landscape styles. Practical and easy to work with, FormBoss® garden edging offers a reliable solution for achieving neat, well-defined edges.



EDGING PROFILE HEIGHTS



FORMBOSS® 1.6mm GAUGE EDGING

Top width: 5.5mm

Ideal for defining lower garden edges, this versatile option is easy to shape and install. A cost-effective solution that delivers clean lines and reliable performance for residential landscaping.

PROFILE HEIGHT	REDCOR® ITEM CODE	GALVABOND® ITEM CODE
75mm	FBRC16075	FBG16075
100mm	FBRC16100	FBG16100
150mm	FBRC16150	FBG16150
185mm	FBRC16185	FBG16185

FORMBOSS® 2.0mm GAUGE EDGING

Top width: 6.5mm

Provides stronger edge definition for residential and commercial projects. Suitable for driveways and higher use areas, it accommodates both flowing curves and straight lines. Taller profiles can also be used for light retaining applications.


PROFILE HEIGHT	REDCOR® ITEM CODE	GALVABOND® ITEM CODE	SUPERDYMA® ITEM CODE
75mm	FBRC20075	FBG20075	FBSD20075
100mm	FBRC20100	FBG20100	FBSD20100
150mm	FBRC20150	FBG20150	FBSD20150
185mm	FBRC20185	FBG20185	FBSD20185
230mm	FBRC20230	FBG20230	FBSD20230
290mm	FBRC20290	FBG20290	FBSD20290
390mm	FBRC20390	FBG20390	FBSD20390
580mm	FBRC20580	FBG20580	FBSD20580

FORMBOSS® 2.5mm GAUGE EDGING

Top width: 7.5mm

Our strongest option, designed for commercial environments, demanding retaining walls, and high-traffic areas. Offers exceptional stability, making it ideal for long, straight runs where maximum strength and durability are required.

PROFILE HEIGHT	REDCOR® ITEM CODE	GALVABOND® ITEM CODE	SUPERDYMA® ITEM CODE
100mm	FBRC25100	FBG25100	FBSD25100
150mm	FBRC25150	FBG25150	FBSD25150
185mm	FBRC25185	FBG25185	FBSD25185
230mm	FBRC25230	FBG25230	FBSD25230
290mm	FBRC25290	FBG25290	FBSD25290
390mm	FBRC25390	FBG25390	FBSD25390
580mm	FBRC25580	FBG25580	FBSD25580



2.5mm gauge and SUPERDYMA products are made to order, please allow 5 days for manufacturing.

STAKES & BRACKETS

From flush garden edges to 450mm retaining walls, the FormBoss® stake range offers a size to suit every application.

FormBoss® recommends three stakes per length as a general guideline however, longer straight runs or heavy retaining applications may require additional stakes for optimal stability.

Our stakes are precision-manufactured to fit neatly beneath the rolled top lip of the edging. Thanks to this lip design, no fasteners are required at the top edge. Stakes are secured at the base of the edging with tek screws, positioned just below soil level.

For 290mm, 390mm, and 580mm profiles, rivets are required above ground level to secure the stakes and achieve a clean, professional finish.

As a guide, stake length should be approximately two to three times the profile height, depending on soil conditions and the specific application.

Where stakes cannot be used, such as on rooftop gardens or decking installations, L-shaped angled brackets provide a secure alternative.

Designed to integrate seamlessly with the FormBoss® system, the brackets slip neatly beneath the rolled top lip and are fixed to the edging using either self-tapping screws or rivets.

For anchoring to concrete or solid substrates, Dynabolts™ are the preferred fixing method. Where mechanical fixings are not practical, a high-strength construction adhesive may be used as an alternative.



FLAT TAPERED STAKES 2.5mm GAUGE

Suits FormBoss® profiles from 75mm to 185mm. Use one tek screw (supplied) below soil level to secure each stake.

STAKE LENGTH	REDCOR® ITEM CODE	GALVABOND® ITEM CODE	SUPERDYMA® ITEM CODE
240mm	FBSRC25240	FBS25240	FBSSD25240
300mm	FBSRC25300	FBS25300	FBSSD25300
400mm	FBSRC25400	FBS25400	FBSSD25400

ANGLED RETAINING STAKES 3.0mm GAUGE

Crafted from 3mm gauge steel (30mm x 50mm, precision 90° angle), our heavy-duty stakes outperform traditional star pickets and are purpose-built to integrate seamlessly with the FormBoss® metal edging system. The 30mm right-angle ridge delivers superior retaining strength and long-term stability.

400mm and 600mm stakes are secured with two screws installed side by side below soil level. 800mm stakes require an additional rivet

positioned midway up the stake to prevent bowing. For 1200mm stakes used with 580mm edging, we recommend two rivets — one approximately 200mm from the top and one approximately 400mm from the top — ensuring maximum rigidity in demanding applications.

All required screws and rivets are supplied. SUPERDYMA® is fully compatible with galvanised steel.

PROFILE HEIGHT	REDCOR® ITEM CODE	SUPERDYMA® ITEM CODE
400mm	FBASRC30400	FBASSD30400
600mm	FBASRC30600	FBASSD30600
800mm	FBASRC30800	FBASSD30800
1200mm	FBASRC301200	FBASSD301200



**ASSEMBLED EDGING WITH
ANGLED RETAINING
STAKES IN REDCOR®**



**ANGLED
BRACKETS
L SHAPED**

ANGLED BRACKETS (L SHAPED)

To support edging on top of solid surfaces, angled brackets elevate edging slightly allowing for drainage. Brackets should be at least 5mm higher than the edging profile to provide sufficient drainage.

PROFILE HEIGHT	REDCOR® ITEM CODE	SUPERDYMA® ITEM CODE
80mm	ABRC075	ABSD075
105mm	ABRC100	ABSD100
155mm	ABRC150	ABSD150
190mm	ABRC185	ABSD185
235mm	ABRC230	ABSD230
295mm	ABRC290	ABSD290
395mm	ABRC390	ABSD390
585mm	ABRC580	ABSD580

All angled brackets are made to order, please allow 5 days for manufacturing.

CORNER PIECES

Corner pieces are formed from a 610mm length of edging, folded at a 90° angle to create two equal 305mm sides, resulting in a precise corner piece that attaches to the edging with the provided connectors.

Corner pieces start at 75mm and go up to 580mm. Please select internal (IN), which has

the rolled safety lip on the inside of the bend, and external (OUT), which has the rolled safety lip on the outside of the bend.

SUPERDYMA® corners are custom made, please allow 10 days for manufacturing.

CORNER PIECE LIP INSIDE VARIATION

GAUGE	PROFILE HEIGHT	REDCOR® ITEM CODE	GALVABOND® ITEM CODE
1.6mm	75mm	CNRRC75IN	CNRG75IN
1.6mm	100mm	CNRRC100IN	CNRG100IN
1.6mm	150mm	CNRRC150IN	CNRG150IN
1.6mm	185mm	CNRRC185IN	CNRG185IN
2.0mm	75mm	CNRRC75IN.2.0	CNRG75IN.2.0
2.0mm	100mm	CNRRC100IN.2.0	CNRG100IN.2.0
2.0mm	150mm	CNRRC150IN.2.0	CNRG150IN.2.0
2.0mm	185mm	CNRRC185IN.2.0	CNRG185IN.2.0
2.0mm	230mm	CNRRC230IN	CNRG230IN
2.0mm	290mm	CNRRC290IN	CNRG290IN
2.0mm	390mm	CNRRC390IN	CNRG390IN
2.0mm	580mm	CNRRC580IN	CNRG580IN

LIP INSIDE VARIATION
IN REDCOR®



LIP INSIDE VARIATION
IN GALVABOND®



GALVABOND® corners are made to order, please allow 5 days for manufacturing.

CORNER PIECE LIP OUTSIDE VARIATION

GAUGE	PROFILE HEIGHT	REDCOR® ITEM CODE	GALVABOND® ITEM CODE
1.6mm	75mm	CNRRC75OUT	CNRG75OUT
1.6mm	100mm	CNRRC100OUT	CNRG100OUT
1.6mm	150mm	CNRRC150OUT	CNRG150OUT
1.6mm	185mm	CNRRC185OUT	CNRG185OUT
2.0mm	75mm	CNRRC75OUT.2.0	CNRG75OUT.2.0
2.0mm	100mm	CNRRC100OUT.2.0	CNRG100OUT.2.0
2.0mm	150mm	CNRRC150OUT.2.0	CNRG150OUT.2.0
2.0mm	185mm	CNRRC185OUT.2.0	CNRG185OUT.2.0
2.0mm	230mm	CNRRC230OUT	CNRG230OUT
2.0mm	290mm	CNRRC290OUT	CNRG290OUT
2.0mm	390mm	CNRRC390OUT	CNRG390OUT
2.0mm	580mm	CNRRC580OUT	CNRG580OUT

**LIP OUTSIDE VARIATION
IN REDCOR®**



**LIP OUTSIDE VARIATION
IN GALVABOND®**



GALVABOND® corners are made to order, please allow 5 days for manufacturing.

Photo: Erik Holt



ROUNDED CORNER LIP INSIDE VARIATION

GAUGE	PROFILE HEIGHT	REDCOR® ITEM CODE	GALVABOND® ITEM CODE
1.6mm	75mm	CNRRC75IN.ROUND	CNRG75IN.ROUND
1.6mm	100mm	CNRRC100IN.ROUND	CNRG100IN.ROUND
1.6mm	150mm	CNRRC15IN.ROUND	CNRG15IN.ROUND
2.0mm	75mm	CNRRC75IN.ROUND2.0	CNRG75IN.ROUND2.0
2.0mm	100mm	CNRRC100IN.ROUND2.0	CNRG100IN.ROUND2.0
2.0mm	150mm	CNRRC150IN.ROUND2.0	CNRG150IN.ROUND2.0

LIP INSIDE VARIATION IN REDCOR®



Rounded corners are made to order, please allow 5 days for manufacturing.



Photo: Erik Holt



TREE & GARDEN RINGS

Upgrade your landscaping projects with precision-crafted FormBoss® garden rings, now available through authorised stockists. Built for durability and offered in a range of diameters, profile heights, and finishes, they're designed to help you achieve your ideal outdoor result.

Have a project with specific requirements? Custom options are also available to suit your preferred garden design.

www.formboss.com.au



RINGS & TIERED PLANTERS

GALVABOND® and REDCOR® rings (75–185mm profile) are manufactured using 1.6mm gauge steel, while larger sizes (230–850mm) come in 2.0mm gauge steel for added strength.

All rings are supplied unjoined unless requested otherwise. A surcharge may apply for joining larger sized rings.

Custom sizes and finishes can be manufactured on request to perfectly complement your garden design and individual project needs.

FORMBOSS® 580mm DIAMETER RINGS

PROFILE HEIGHT	REDCOR® ITEM CODE	GALVABOND® ITEM CODE*
75mm	RFBRC075S	RFBG075S
100mm	RFBRC100S	RFBG100S
150mm	RFBRC150S	RFBG150S
185mm	RFBRC185S	RFBG185S
230mm	RFBRC230S	RFBG230S
290mm	RFBRC290S	RFBG290S
390mm	RFBRC390S	RFBG390S
580mm	RFBRC580S	RFBG580S

FORMBOSS® 777mm DIAMETER RINGS

PROFILE HEIGHT	REDCOR® ITEM CODE	GALVABOND® ITEM CODE*
75mm	RFBRC0751L	RFBG0751L
100mm	RFBRC1001L	RFBG1001L
150mm	RFBRC1501L	RFBG1501L
185mm	RFBRC1851L	RFBG1851L
230mm	RFBRC2301L	RFBG2301L
290mm	RFBRC2901L	RFBG2901L
390mm	RFBRC3901L	RFBG3901L
580mm	RFBRC5801L	RFBG5801L

GALVABOND® rings are made to order, please allow 5 days for manufacturing.

FORMBOSS® 1165mm DIAMETER RINGS

PROFILE HEIGHT	REDCOR® ITEM CODE	GALVABOND® ITEM CODE*
75mm	RFBRC07515L	RFBG07515L
100mm	RFBRC10015L	RFBG10015L
150mm	RFBRC15015L	RFBG15015L
185mm	RFBRC18515L	RFBG18515L
230mm	RFBRC23015L	RFBG23015L
290mm	RFBRC29015L	RFBG29015L
390mm	RFBRC39015L	RFBG39015L
580mm	RFBRC58015L	RFBG58015L

FORMBOSS® 1554mm DIAMETER RINGS

PROFILE HEIGHT	REDCOR® ITEM CODE	GALVABOND® ITEM CODE*
75mm	RFBRC0752L	RFBG0752L
100mm	RFBRC1002L	RFBG1002L
150mm	RFBRC1502L	RFBG1502L
185mm	RFBRC1852L	RFBG1852L
230mm	RFBRC2302L	RFBG2302L
290mm	RFBRC2902L	RFBG2902L
390mm	RFBRC3902L	RFBG3902L
580mm	RFBRC5802L	RFBG5802L

GALVABOND® rings are made to order, please allow 5 days for manufacturing.



Photo: Erik Holt



FORMBOSS® REDCOR® TIERED PLANTERS

PLANTER HEIGHT

3 TIERED 390mm

3 TIERED 580mm

REDCOR® ITEM CODE

FB3TP390

FB3TP580



HANGING PLANTERS

FormBoss® is proud to introduce our new range of hanging planters, now available in stock.

Standard hanging planters measure 580mm in diameter and 100mm deep, offering a sleek option for a variety of spaces. Custom sizes are also available to suit your specific requirements,

and planters can be powder coated in a wide selection of Dulux colours to complement your design.

Please note that additional charges apply for custom sizing and colour finishes.

REDCOR®
ITEM CODE

FBHPRC580

BLACK
ITEM CODE

FBHPB580

WHITE
ITEM CODE

FBHPNW580



FORMBOX KITS

FormBox Kits bring a contemporary edge to modern garden design, combining sleek aesthetics with practical functionality and enhanced safety.

Available in two ready-to-install sizes and three profile heights, they're perfect for decorative displays or creating raised vegetable gardens. Custom sizes are also available to suit your

space, with powder coating options to achieve a premium finish that complements your outdoor style.

Transform your FormBox even further with optional upgrades—add a plastic liner to create a striking pond, or incorporate a timber bench seat for stylish, built-in seating.

PROFILE HEIGHT	KIT 1640 ITEM CODE	KIT 2860 ITEM CODE
340mm	FBXRC340.800.1220	FBXRC340.800.2440
530mm	FBXRC530.800.1220	FBXRC530.800.2440
740mm	FBXRC740.800.1220	FBXRC740.800.2440



KIT 1640 INCLUDES:

- 2 ends
- 2 x 1220mm lengths
- Copper rivets
- Connectors

Overall kit measurement: 800mm x 1640mm x profile height



KIT 2860 INCLUDES:

- 2 ends
- 2 x 2440mm lengths
- Copper rivets
- Connectors

Overall kit measurement: 800mm x 2860mm x profile height



SPECIAL PROJECTS & CUSTOM WORK

Did you know we can custom-make steel items to perfectly suit your garden? Whether it's a specially designed arbour, a large custom tree ring, a firepit, or any other steel feature, we can create it to your specifications.

All custom and special production requests must be submitted via email:
info@formboss.com.au.

Custom production has a lead time of up to 10 business days. While we always strive to complete orders ahead of schedule, please note that peak periods may affect timing.

FormBoss custom powder-coated fireplace and perforated steppers (pictured), were showcased at the 2026 Melbourne International Flower and Garden Show as part of the gold award-winning **'We the Wild'** display.

Designed by Matt York, Landscape Architect at Ratio Consultants.



Photo: Erik Holt

✉ info@formboss.com.au

📍 10-12 Research Drive
Croydon South VIC 3136

Follow us:



Call us: **13 11 37**